2000 ORDERING SUPPLEMENT
MIDDLE EAST

0smid81g

REQUIRED ALL MID-EAST ORDERS		
RPO	**DESCRIPTION**	
AC7	Fuel Tank Fill Pipe - Unrestricted	X
A04	Windshield: Tinted, less Upper Shadeband	X
EXP	Processing Option: GMODC, Export **Includes** (VZ2) Speedometer Calibration, 170 KPH Fuel Cut-off	X
K47	Air Cleaner: High Capacity	X
K53	Fuel Sender Assembly, Robust Fuel System	X
NM2	Leaded Fuel Provisions	X
R6K	Processing Option – Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
V87	Certification Label: Gulf States Organization, Complete Vehicle	X
VC5	Shipping Label	X
VPH	Export Vehicle Preparation – Includes (BAG) Export Parts Package, (VR6) Tie Down Hook (except with Z82), (V76) Front Tow Hooks	X
Z5X	Mirror: Outside, Rearview with Arabic Language Warning	X

MUST ORDER UL5 OR UL2		
UL5	Radio Delete – **Not Available** with YE9	A
UL0	Radio: Am/FM Stereo, Seek/Scan, Cassette, Clock ETR – **Requires** UL2. **Requires** YE9	A
UL2	Radio Frequency: Europe – **Requires** UL0 or UM7	A
UM7	Radio: AM/FM Stereo, Seek/Scan, Clock, ETR – **Requires** UL2; **Not Available** with YE9	A

MODEL AND POWERTRAIN AVAILABILITY						
MODEL	**DESCRIPTION**	**ENG**	**DISPL.**	**TRANS.**	**AXLE**	**TIRES**
TC15703	2WD Regular Cab Short Box Pick-up	LR4	4.8L V8	MG5	GT4	QCP
		LM7	5.3L V8	M30	GT4	QCP
TC15903	2WD Regular Cab Long Box Pick-up	LR4	4.8L V8	MG5	GT4	QCP
		LM7	5.3L V8	M30	GT4	QCP
TK15703	4x4 Regular Cab Short Box Pick-up	LR4	4.8L V8	MG5	GT5	QHS
		LM7	5.3L V8	M30	GT5	QHS
TK15903	4x4 Regular Cab Long Box Pick-up	LR4	4.8L V8	MG5	GT5	QHS
		LM7	5.3L V8	M30	GT5	QHS

QCP Tires: P255/70R16 - 109H Blackwall ALS ***Requires*** *Z85 Chassis Equipment*
QHS Tires: P265/75R16 - 114H Blackwall "A" Temperature Rating ***Requires*** *Z71 or Z85 Chassis Equipment and PF4, PF9 or QC3 Wheels.*

EXPORT RESTRICTIONS:	
AJ1	Glass: Deep Tint - **Not Available**
DF2	Mirrors, Exterior – **Not Available**
DL8	Mirrors, Exterior – **Not Available**
FW1	Ride and Handling Manual Controlled - **Not Available**
ZX3	Chassis Equipment, Ride Control – **Not Available**
Z83	Chassis Equipment, Standard Control – **Not Available**

REGULAR CAB PICKUP

6.5 FOOT CARGO BOX 2 WHEEL DRIVE	C15703
6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K15703
8 FOOT CARGO BOX 2 WHEEL DRIVE	C15903
8 FOOT CARGO BOX 4 WHEEL DRIVE	K15903

EXTENDED-CAB PICKUP

6.5 FOOT CARGO BOX 2 WHEEL DRIVE	C15753
6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K15753
8 FOOT CARGO BOX 2 WHEEL DRIVE	C15953
8 FOOT CARGO BOX 4 WHEEL DRIVE	K15953

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOUR, TRIM AND PAINT APPLICATION CODE

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

	SAFETY/SECURITY	ZE5	YE9
	Air Bag Restraint: Next Generation Driver and Passenger Sides. Passenger Side Air Bag suppression switch, located on instrument panel beneath the cargo lamp switch	S	S
	Child Safety Seat Top Tether Anchor	S	S
	Lights: Daytime Running Lights with automatic headlamp control; Centre high mounted stop lamp	S	S
	Passlock II ™ Security System	S	S
	Side Guard Door Beams	S	S
	Single Two-Sided Key: Common key to operate ignition and doors	S	S
	EXTERIOR		
	Air Dam: Black	S	S
	Antilock Brakes: ABS 4 Wheel Disc	S	S
	Bumpers: Front, chrome with spectra gray cover	S	S
	Rear step painted argent (ZE5) Chrome with step pad (YE9)	S	S
R	**Door:** Fourth Door. Driver Side Rear Door (C/K15753, C/K15953)	S	S
	Door Sill Plates: Dark gray (ZE5) Colour-keyed (YE9)	S	S
	Easy Access System: Third Door (C/K15753, C/K15953)	S	S
	Glass: Solar-Ray™ tinted; all windows	S	S
	Grille: Moulded plastic; painted argent; integral GMC emblem at centre of grille	S	---
	Moulded plastic; painted argent; integral GMC emblem at centre of grille; chrome accents	---	S
	Headlamps: Automatic dual composite halogen	S	S
	Horn: Single, electric low note	S	---
	Dual, electric high/low note	---	S
	Insulators: Cab-to-fender; hood	---	S
	Keyless Entry, Remote: Three-button fob remote transmitter. Illuminated entry, panic alarm and vehicle content theft alarm. Two key fobs are provided	---	S
	License Plate Holder Front	S	S
	Lights: Backup lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, Cargo lamp, Underwood lamp	S	S
	Mirrors: Black. Below eye-line type. Fold-away	S	S
	Electric Remote Control with chrome accents	---	S
	Moldings: Black hidden roof drip moldings	S	S
	Chrome body side	---	S
	Nameplates: "SL"/"SLE"/"SLT" nameplate on B pillar. Series designation nameplate on doors	S	S
	"4 x 4" decals at rear of pickup box side panels (K models)	S	S
	"GMC" decal on tailgate	S	S
	"GMC" "Sierra" on lower tailgate	---	S
	Pickup Box: All steel double sidewalk and tailgate construction, painted body	S	S
	Spare Tire Carrier: Lockable winch-type mounted under the frame in the rear	S	S
	Tow Hooks: Two, front mounted at the front of each frame side member	S	S
	Wheel Trim: Clad wheel silver painted steel with black centre cap	S	---
	Chrome Styled 16" x 6.5" with Chrome Centre Caps.	---	S
	Window: Swing-out rear quarter vent (C/K15753, C/K15953)	S	S
	Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system	S	S
	Wiring Harness, Trailer: 6-lead	S	S
	INTERIOR		
	Air Conditioning	---	S
	Convenience Group: Power locks, cruise control, power windows with express down feature on driver's window	---	S
	Cup Holders: Dual	S	S
	Defogger: Windshield and side window	S	S
	Door Trim Panels: Colour-keyed grained Moulded plastic	S	---
	Soft vinyl with carpet covered map pocket and cloth insert	---	S
	Floor Covering: Black vinyl	S	---
	Colour-keyed carpeting and removable front vinyl mats	---	S
	Rear mats (C/K15753, C/K15953)	---	S
	Gauges: Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer, trip odometer, hour meter	S	S
	Headlamps-On and Key-In-Ignition Warning Buzzers	S	S
	Headliner: Full length Colour-keyed cloth with matching retainer moldings	S	S
	Insulator: Cab back panel	S	S
	Lights: Dome with map reading lights incorporating a 20 second delay-off feature, underdash courtesy, ashtray, glove box, instrument cluster. Left hand and right hand door jamb switches	S	S
	Mirror, Rearview: 254 mm (10") prismatic with soft vinyl rim	S	S
	Power Points: Dual Covered in addition to cigarette lighter receptacle in instrument panel	S	S
	Radio Equipment: Electronically Tuned AM/FM Stereo with Digital Clock. Includes speakers in front doors. (C/K15703, C/K15903)	S	---
	Tuned AM/FM Stereo with Seek-Scan and Clock. Fixed mast antenna and four speakers (2 - in front doors; 2 - rear pillar) (C/K15753, C/K15953)	S	---

S Standard

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

INTERIOR	ZE5	YE9
ETR AM/FM Stereo with Compact Disc Player, SS, Auto Tone Control, Clock, Anti Theft Lock and Speed Control Volume. Includes six speakers (2 in door, 2 tweeter in armrest and 2 in rear pillar on regular cab or trim panel on extended cab)	---	S
Seats: Front Vinyl 40/20/40 Split Bench Seat	S	---
Front Custom Cloth reclining 40/20/40 Split Bench Seat with manual lumbar and center armrest storage	---	S
Rear folding seat (C/K15753, C/K15953)	S	S
Head restraints, adjustable on all outboard seats	S	S
Seat Belts: Seat mounted belts on front outboard seat	S	S
Steering Wheel and Column: Black energy absorbing, adjustable tilt steering wheel with anti-theft locking feature	S	S
Simulated leather sport wheel with four spokes	S	---
Leather wrapped sport wheel with four spokes	---	S
Sunshades: Left hand and right hand padded; colour-keyed cloth; left hand with storage strap; right hand with visor mirror	S	S
Tools: Mechanical jack and wheel wrench located in a storage compartment behind the seat	S	S
Transfer Case: Manual Two Speed (K15703, K15903, K15753, K15953)	S	S

S Standard

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN
NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

			SELECT-A-UNIT CODES			
			SL		SLE	SLT
	OPTION DESCRIPTION	OPTION CODE	1	2	3	C/K15753 C/K15953 4
	PREFERRED EQUIPMENT GROUPS	---	1SA	1SB	1SC	♦1SD
	MODEL OPTION: SL	ZE5	X	X		
	BODY ORDERING CODE: Fleetside	E63	U	U	U	U
	Engine: 4300 SFI V6 (C/K15703, C/K15903)	L35	U	U	U	
	Engine: 4300 SFI V6 (C15753)	L35	U	U		
	Engine: 4800 SFI V8 (C15753)	LR4			U	U
	Engine: 4800 SFI V8 (K15753, C/K15953)	LR4	U	U	U	U
	Transmission: 5 Speed Manual with overdrive	MG5	U	U		
	Transmission: 5 Speed Manual with overdrive (C/K15703, C/K15903)	MG5			U	
	Transmission: 4 Speed Automatic (C/K15753, C/K15953)	M30			X	X
	GVWR: 2767 kg (6100 lb) (C/K15703)	C5M	X	X	X	
R	**GVWR:** 2903 kg (6400 lb) (C/K15903, K15753, C/K15953)	C7H	X	X	X	X
R	**GVWR:** 2812 kg (6200 lb) (C15753)	Q4B	X	X	X	X
	Axle, Rear: 3.08 Ratio (C15703, C15903)	GU4	U	U	U	
	Axle, Rear: 3.42 Ratio (C15753, C15953)	GU6	U	U	U	U
	Axle, Rear: 3.73 Ratio (K15703, K15903, K15753, K15953)	GT4	U	U	U	U
	Chassis: Standard Suspension	Z83	U	U	U	
	Chassis: Heavy Duty (C15753, C15953)	Z85				U
	Chassis: Standard Suspension (K15753, K15953)	Z83				U
	Tires: P235/75R-16 ALS Blackwall (C Models)	QNF	U	U	U	
	Tires: P245/75R-16 ALS Blackwall (K models)	QNK	U	U	U	U
	Tires: P255/70R-16 ALS Blackwall (C15753, C15953)	QCC				U
	Seat: 40/20/40 Split Front Bench	AE7	X	X	U	
	Seat: Full Featured Front High Back Reclining Buckets with Leather Trim	AN3				U
	Air Conditioning	C60		X	S	S
	Bumper: Rear Chrome	VB3		U	S	S
	Grille: Chrome	V22		X	S	S
	Radio: ETR AM/FM with Compact Disc	UN0			U	
	Radio: ETR AM/FM with Compact Disc and Cassette	UP0				U
	Mouldings: Black Body Side	B85		X		
	Wheel Trim: Chrome styled with chrome centre caps	PY2		U	S	
	MODEL OPTION: SLE / SLT	YE9			X	X
	Defogger: Rear Window	C49				X
	Fog Lamps	T96				X
	Mirrors, Exterior: Heated Remote Control Electric	DL8				U
	Mirror, Rearview: Interior, Electrochromic w/ compass, O/S Temp	DF5				X
	Transfer Case: Autotrac Electronic (K Models)	NP8				X
	Wheels: Polished Aluminum. 4 wheels	QC3				U

♦ **Requires Leather Trim Code 122, 672 or 922. Leather is on seating surfaces only**
X **Option Included In Select-A-Unit. DO NOT DELETE**
U **Option Included In Select-A-Unit and May Be Deleted if Substitute Option is Specified**
S **Standard**

2000 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

REGULAR CAB SHORTBOX PICKUP – 2 WHEEL DRIVE

SL				
Model Price	C15703	ZE5	1	1SA
Preferred Equipment Group Price	C15703	ZE5	2	1SB
SLE / SLT				
Model Price	C15703	YE9	3	1SC

REGULAR CAB LONGBOX PICKUP – 2 WHEEL DRIVE

SL				
Model Price	C15903	ZE5	1	1SA
Preferred Equipment Group Price	C15903	ZE5	2	1SB
SLE / SLT				
Model Price	C15903	YE9	3	1SC

REGULAR CAB SHORTBOX PICKUP – 4 WHEEL DRIVE

SL				
Model Price	K15703	ZE5	1	1SA
Preferred Equipment Group Price	K15703	ZE5	2	1SB
SLE / SLT				
Model Price	K15703	YE9	3	1SC

REGULAR CAB LONGBOX PICKUP – 4 WHEEL DRIVE

SL				
Model Price	K15903	ZE5	1	1SA
Preferred Equipment Group Price	K15903	ZE5	2	1SB
SLE / SLT				
Model Price	K15903	YE9	3	1SC

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

EXTENDED-CAB SHORTBOX PICKUP – 2 WHEEL DRIVE

SL				
Model Price	C15753	ZE5	1	1SA
Preferred Equipment Group Price	C15753	ZE5	2	1SB
SLE				
Model Price	C15753	YE9	3	1SC
SLT				
Model Price	C15753	YE9	4	1SD

EXTENDED-CAB LONGBOX PICKUP – 2 WHEEL DRIVE

SL				
Model Price	C15953	ZE5	1	1SA
Preferred Equipment Group Price	C15953	ZE5	2	1SB
SLE				
Model Price	C15953	YE9	3	1SC
SLT				
Model Price	C15953	YE9	4	1SD

EXTENDED-CAB SHORTBOX PICKUP – 4 WHEEL DRIVE

SL				
Model Price	K15753	ZE5	1	1SA
Preferred Equipment Group Price	K15753	ZE5	2	1SB
SLE				
Model Price	K15753	YE9	3	1SC
SLT				
Model Price	K15753	YE9	4	1SD

EXTENDED-CAB LONGBOX PICKUP – 4 WHEEL DRIVE

SL				
Model Price	K15953	ZE5	1	1SA
Preferred Equipment Group Price	K15953	ZE5	2	1SB
SLE				
Model Price	K15953	YE9	3	1SC
SLT				
Model Price	K15953	YE9	4	1SD

2000 LIGHT DUTY TRUCKS

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C15703

					GVWR Code kgs lbs	C5M 2767 6100		
					Axle Ratio	# 3.08	3.42	3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes		
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive		# GU4	GU6	---
				M30 - Automatic with overdrive		# GU4	GU6	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		---	GU6	GT4
				M30 - Automatic with overdrive		---	GU6	GT4
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		---	GU6	GT4

C15903

					GVWR Code kgs lbs	C7H 2903 6400		
					Axle Ratio	# 3.08	3.42	3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes		
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive		# GU4	GU6	---
				M30 - Automatic with overdrive		# GU4	GU6	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		---	GU6	GT4
				M30 - Automatic with overdrive		---	GU6	GT4
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		---	GU6	GT4

C15753

					GVWR Code kgs lbs	Q4B 2812 6200	
					Axle Ratio	3.42	3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 – 5 Speed Manual with Overdrive		GU6	
				M30 – Automatic with overdrive		GU6	GT4
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		GU6	GT4
				M30 - Automatic with overdrive		GU6	GT4
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		GU6	GT4

C15953

R
R
R

					GVWR Code kgs lbs	C7H 2903 6400	
					Axle Ratio	3.42	3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		GU6	GT4
				M30 - Automatic with overdrive		GU6	GT4
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		GU6	GT4

Not Available with G80

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

K15703

					GVWR Code kgs lbs	C5M 2767 6100	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive		GT4	---
				M30 - Automatic with overdrive		GT4	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		GT4	GT5
				M30 - Automatic with overdrive		GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		GT4	GT5

K15903

					GVWR Code kgs lbs	C7H 2903 6400	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
L35 V6	4.3 Litre 262 Cu. In.	SFI	200 @ 4600	MG5 - 5 Speed Manual with overdrive		GT4	---
				M30 - Automatic with overdrive		GT4	---
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		GT4	GT5
				M30 - Automatic with overdrive		GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		GT4	GT5

K15753

					GVWR Code kgs lbs	C7H 2903 6400	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual with overdrive		GT4	GT5
				M30 - Automatic with overdrive		GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		GT4	GT5

K15953

					GVWR Code kgs lbs	C7H 2903 6400	
					Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes	
LR4 V8	4.8 Litre 294 Cu. In.	SFI	270 @ 5200	MG5 - 5 Speed Manual w/overdrive		GT4	GT5
				M30 - Automatic with overdrive		GT4	GT5
LM7 V8	5.3 Litre 327 Cu. In.	SFI	285 @ 5200	M30 - Automatic with overdrive		GT4	GT5

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

BODY ORDERING CODE: E62 SPORTSIDE: Requires ZY1.
Requires M30 and LM7 or LR4 on C/K15753.
Includes VB3 on ZE5 unless VF7 Bumper Delete is specified.
Optional with: ..... C/K15703, C/K15753 ..... E62

ENGINES: Refer to Power Teams Charts for engine availability.
Vortec 4300 Sequential Fuel Injection (SFI) V6. **Not Available** on K15753, C/K15953
Optional with: ..... SAU 1, 2, or 3 on C/K15703, C/K15903 ..... L35
Optional with: ..... SAU 1 or 2 on C15753 ..... L35
Vortec 4800 Sequential Fuel Injection (SFI) V8.
Optional with: LR4
Vortec 5300 Sequential Fuel Injection (SFI) V8.
Optional with: LM7

TRANSMISSIONS: Refer to Power Teams Charts for transmission availability.
5-Speed Manual with overdrive. Getrag. 85 mm. 4.02 Low. MG5
4-Speed Automatic with overdrive. 4L60E.
Optional with: M30

GVWR: Refer to Power Teams Charts for GVWR availability.
2767 kg (6100 lb).
Optional with: ..... C/K15703 ..... C5M
2812 kg (6200 lb).
R Optional with: ..... C15753 ..... Q4B
2903 kg (6400 lb)
R Optional with: ..... C/K15903, K15753, C/K15953 ..... C7H

AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.
3.08 Ratio.
Optional with: ..... C15703, C15903 ..... GU4
3.42 Ratio.
Optional with: ..... C15703, C15753, C15903, C15953 ..... GU6
3.73 Ratio.
Optional with: ..... C/K15703, C/K15753, C/K15903, C/K15953 ..... GT4
4.10 Ratio.
Optional with: ..... K15703, K15753, K15903, K15953 ..... GT5
Locking Differential. **Not Available** with GU4 ..... G80

CHASSIS EQUIPMENT:
C15703, C15903, C15753, C15953
Standard Suspension. Twintube 32 mm shocks. **Not Available** with Z82.
Requires QNF or QNG
Optional with: ..... SAU 1, 2 or 3 ..... Z83
Heavy Duty: Monotube 36 mm shocks. Provides increased damping to improve handling or trailering.
Requires QCC, QCJ or QCP on C15703, C15903. **Requires** QCC or QCJ on C15753 , C15953.
Optional with: ..... SAU 1, 2 or 3 ..... Z85
Ride Control: 46 mm shocks Adjustable Electronic Suspension. Manually adjust the amount of shock absorber damping by positioning a switch in one of two positions, smooth road or increased control/trailering. **Requires** QCC or QCJ and LM7 or LR4
Optional with: ..... SAU 3 or 4 ..... ZX3

K15703, K15903, K15753, K15953
Standard Suspension. Twintube 32 mm shocks. **Not Available** with Z82.
Requires QGA, QGB, QNK or QNL
Optional with: Z83
Heavy Duty: Monotube 36 mm shocks. Provides increased damping to improve handling or trailering.
Optional with: Z85
Ride Control: 46 mm shocks Adjustable Electronic Suspension. Manually adjust the amount of shock absorber damping by positioning a switch in one of two positions, smooth road or increased control/trailering. **Requires** LM7 or LR4
Optional with: ..... SAU 3 or 4 ..... ZX3
Off Road: Monotube 46 mm shocks, Off-Road jounce Bumpers and Stabilizer Bars.
Includes K47, NZZ, Z71 decal and special removeable air dam.
Requires QBN , QBX, QGC or QGD.
Optional with: ..... SAU 3 or 4 ..... Z71

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

Ride And Handling Manual Electronic Controlled: Manually adjust the amount of shock absorber damping by positioning a switch in one of two positions, smooth road or increased control/trailering. **Requires** QGC or QGD and LR4 or LM7. **Requires** Z71.
Optional with: ..... SAU 3 or 4 ..... FW1

TIRES: (Includes front, rear and spare)

P255/70R-16 – Blackwall Radial Steel All Seasons
Not Available with Z83.
Optional with: ..... C15703, C15753, C15903, C15953 ..... QCC

P255/70R-16 – White Outline Letter Radial Steel All Seasons
Not Available with Z83.
Optional with: ..... C15703, C15753, C15903, C15953 ..... QCJ

P255/70R-16 – Blackwall All Seasons
Requires Z85. **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated).
Optional with: ..... C15703, C15903 ..... QCP

P235/75R-16 – Blackwall Radial Steel All Seasons
Requires Z83.
Optional with: ..... SAU 1, 2 or 3 on C15703, C15753, C15903, C15953 ..... QNF

P235/75R-16 – White Outline Letter Radial Steel All Seasons
Requires Z83.
Optional with: ..... SAU 1, 2 or 3 on C15703, C15753, C15903, C15953 ..... QNG

LT245/75R-16C – Blackwall Radial Steel On/Off Road
Not Available with Z83.
Optional with: ..... K15703, K15753, K15903, K15953 ..... QBN

LT245/75R-16C – White Outline Letter Radial Steel On/Off Road
Not Available with Z83.
Optional with: ..... K15703, K15753, K15903, K15953 ..... QBX

P245/75R-16 – Blackwall Radial Steel All Terrain
Not Available with Z71.
Optional with: ..... K15703, K15753, K15903, K15953 ..... QGA

P245/75R-16 – White Outline Letter Radial Steel All Terrain
Not Available with Z71.
Optional with: ..... K15703, K15753, K15903, K15953 ..... QGB

P265/75R-16 – Blackwall Radial Steel All Terrain
Requires PF4, PF9 or QC3. **Not Available** with Z83.
Optional with: ..... K15703, K15753, K15903, K15953 ..... QGC

P265/75R-16 – White Outline Letter Radial Steel All Terrain
Requires PF4, PF9 or QC3. **Not Available** with Z83.
Optional with: ..... K15703, K15753, K15903, K15953 ..... QGD

P265/75R-16 – Blackwall All Terrain 'A' Temperature Rating
Requires PF9, PF4 or QC3. **Requires** Z71 or Z85. **Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW9 (Miscellaneous Unregulated)
Optional with: ..... K15703, K15903, ... QHS

P245/75R-16 – Blackwall Radial Steel All Seasons
Not Available Z71
Optional with: ..... K15703, K15753, K15903, K15953 ..... QNK

P245/75R-16 – White Outline Letter Radial Steel All Seasons
Not Available Z71
Optional with: ..... K15703, K15753, K15903, K15953 ..... QNL

SEATS AND SEAT TRIM: Cloth trim.

C/K15703, C/K15903

40/20/40 Split Front Bench.
ZE5 includes driver manual seat back recliner, fixed centre bench without armrest.
YE9 includes driver and passenger manual seat back recliner, manual driver and passenger lumbar, folding center bench that will function as armrest with stowage provisions and mini console.
Optional with: ..... 'V' Trim ..... SAU 1 or 2 ..... AE7
..... 'C' Trim ..... SAU 1 or 2 ..... AE7
..... 'D' Trim ..... SAU 3 ..... AE7

High back bucket seat with manual recliners and adjustable head restraint. Inboard arm rest on driver and passenger. Manual lumbar on driver and passenger. Includes head console and floor console.
Optional with: ..... 'D' Trim ..... SAU 3 ..... A95

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

C/K15753, C/K15953

ZE5 includes driver manual seat back recliner, fixed centre bench without armrest.
YE9 includes driver and passenger manual seat back recliner, manual driver and passenger lumbar, seat back stowage pockets, folding center bench that will function as armrest with stowage provisions and mini roof console.
With '2' Leather trim includes driver and passenger power 6-way seat adjuster.
SAU 4 **Requires** UN0 Radio.

Optional with: ..... 'V' Trim ..... SAU 1 or 2 ..... AE7
..... 'C' Trim ..... SAU 1 or 2 ..... AE7
..... 'D' Trim ..... SAU 3 ..... AE7
..... '2' Leather Trim ..... SAU 4 ..... AE7

High back bucket seat with manual recliners and adjustable head restraint. Inboard arm rest on driver and passenger. Manual lumbar on driver and passenger. Seat back stowage pockets. Includes full length overhead console and floor console.
With '2' Leather trim includes driver and passenger power 6-way seat adjuster.

Optional with: ..... 'D' Trim ..... SAU 3 ..... A95
..... '2' Leather Trim ..... SAU 4 ..... A95

Full feature high back bucket seat with driver and passenger power 6-way seat adjuster. Inboard arm rest on driver and passenger. Power lumbar, seat back bolster, seat back recliners, and seat back stowage pockets. Two position memory controls. Heated seat for driver and passenger. Includes full length overhead console and floor console.

Optional with: ..... '2' Leather Trim ..... SAU 4 ..... AN3

AIR CLEANER: High Capacity. Included with Z71 ..... K47

AIR CONDITIONING: All Weather. Included with YE9. Includes Increased Capacity Cooling.
Optional with: ..... SAU 1 ..... C60

BATTERY: Additional 600 CCA Battery. **Requires** LR4 or LM7.
Optional with: TP2

BUMPER EQUIPMENT:

Bumper, Chrome, Rear Step
Included with E62 unless VF7 Bumper Delete is specified.
Optional with: ..... SAU 1 ..... VB3

Bumper, Painted Rear Step
Included with E63 and SAU 1 unless VB3 or VF7 is specified. **Requires** E63.
Optional with: ..... SAU 2 ..... V43

Bumper Delete, Rear Step **Not Available** with Z82.
Deletes standard rear step bumper. **Deletes** VB3 on ZE5 when E62 is specified.
Optional with: VF7

CONVENIENCE GROUPS:

Power Door Locks. Included with YE9. Includes Lockout Protection.
Optional with: ..... SAU 1 or 2 ..... AU3

Cruise Control. Included with YE9.
Optional with: ..... SAU 1 or 2 ..... K34

Driver and Passenger 6- Way Power Seat Adjuster. Included with "2' Leather Trim.
Requires YE9 and AE7 or A95 and 'D' Code Trim.
Optional with: ..... SAU 3 or 4 ..... AG2

COOLING SYSTEMS: Extra Capacity. **Requires** M30.
Transmission oil cooler. Provides an external air-to-oil cooling system.
Optional with: ..... KNP

DEFOGGER, REAR WINDOW: Electric. **Not Available** with A28. **Requires** C60 on ZE5.
Optional with: ..... SAU 1, 2 or 3 ..... C49

FLOOR COVERING:

Carpet, Colour-Keyed with colour -keyed vinyl front floor mats.
Optional with: ..... SAU 1 or 2 ..... B30

Vinyl front removeable floor mats. **Requires** B30.
Optional with: ..... SAU 1 or 2 ..... B32

Rear vinyl front removeable floor mats. **Requires** B30 and B32.
Optional with: ..... SAU 1 or 2 on C/K15753, C/K15953 ..... B33

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

Vinyl, Colour-Keyed. Replaces carpet.
Requires 12D, 122, 67D or 672 Trim.
Optional with: ..... SAU 3 or 4 ..... BG9

FOG LAMP: L35 **Requires** YE9 on C/K15703, C/K15903 C15753
Optional with: ..... SAU 1, 2 or 3 ..... T96

GLASS: Deep Tinted Glass on Quarter and Rear Window.
Light Tinted Glass on all other windows. **Requires** A28 or C49 on C/K15703 and C/K15903.
Optional with: AJ1

GRILLE: Chrome accents. Includes dual horns.
Optional with: ..... SAU 1 ..... V22

HEATER: Engine Block.
Optional with: K05

MIRRORS, EXTERIOR:
Left Hand and Right Hand. Camper Type. Incorporates ability to be extended outboard to give greater field of view for trailering applications and after market body equipment.
Optional with: DF2

Left Hand and Right Hand, Remote Control, Electric, Heated
Requires C49.
Optional with: ..... SAU 3 ..... DL8

MIRROR, REARVIEW: Interior. 254 mm (10") Electrochromic. Includes a mirror that automatically adjusts to reduce night time glare, a continually recalibrating 8 point compass system and outside temperature.
Optional with: ..... SAU 3 ..... DF5

MOULDINGS: Refer to Colour, Trim & Paint Application Code page for colour combination.
Body Side Black.
Optional with: ..... SAU 1 ..... B85

Wheel Opening Fender Flare. Front and rear. **Requires** E63.
Optional with: ..... K15703, K15903, K15753, K15953 ..... B71

PAINT SCHEMES: (Refer to Colour, Trim and Seat Availability Chart)
Solid ZY1
Conventional Two-Tone. **Requires** E63.
Optional with: ..... SAU 3 or 4 ..... ZY2

RADIO EQUIPMENT:
Radio Delete (**Deletes** radio, antenna and speakers)
Optional with: ..... SAU 1 or 2 ..... UL5

Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone Control, Clock, Anti theft Lock and Speed Control Volume. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests and two speakers in rear pillar in regular cab or two speakers in quarter trim panel and rear side door in extended cab).
Optional with: ..... SAU 3 or 4 ..... UL0

Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock. Includes four speakers (two in front doors, two in rear pillar).
Optional with: ..... SAU 1 or 2 ..... UM6

Electronically Tuned AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Anti Theft Lock and Speed Control Volume. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests and two speakers in rear pillar in regular cab or two speakers in quarter trim panel and rear side door in extended cab).
Optional with: ..... SAU 4 ..... UN0

Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control, Clock, Anti Theftlock and Speed Control Volume. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar). **Requires** M30 and AN3 or A95 with C15753 or C15953. **Requires** NP8 and AN3 or A95 with K15753 or K15953.
Optional with: ..... SAU 3 on C/K15753, C/K15953 ..... UP0

SKID PLATES: Off-Road. Includes shields for engine, transmission, front differential and transfer case. Included with Z71.
Optional with: ..... K15703, K15903, K15753, K15953 ..... NZZ

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

SPEEDOMETER: Kilo/Miles, Kilo Odometer. **Not Available** with CU7 (Kuwait), CU8 (Saudi Arabia), CW2 (Gulf States), CW6 (Guam), (CW7 (Caribbean) or CW6 (Guam).
Optional with: U19

TELEPHONE PROVISIONS: Includes wiring for remote microphone and cellular phone.
Optional with: UV8

R **TONNEAU COVER:** Pick Up Box. **Not Available** with E62.
Soft cover design, box rails are plant installed, cover and bows are shipped in cab and dealer installed.
Optional with: E95

TRAILERING SPECIAL EQUIPMENT: Heavy Duty. Includes weight distributing platform trailer hitch. Includes heavy duty 8 – lead wiring harness with 7 – way sealed connector.
Not Available with L35, MG5 or Z83. Includes KNP Extra Capacity Transmission cooling.
Optional with: Z82

TRANSFER CASE: Autotrac. **Requires** M30.
Automatic Four Wheel Drive function in addition to the traditional 2H/4H/4L.
Switch, located in the lower section of the instrument panel, to the left of the steering column.
Optional with: ..... SAU 3 on K15703, K15903, K15753, K15953 ..... NP8

WHEELS:
Bright Aluminum Finish: Four Wheels. Wheel size is 406 mm x 178 mm (16" x 7").
Optional with: ..... SAU 3 or 4 ..... PF4
Aluminum Painted Argent: Four Wheels. Wheel size is 406 mm x 178 mm (16" x 7").
Optional with: ..... SAU 1 or 2 ..... PF9
Chrome. Four Wheels only. Wheel size is 406 mm x 165 mm (16" x 6.5"). Includes Chrome Caps. Included on YE9.
Optional with: ..... SAU 1 ..... PY2
Chrome Caps.
Optional with: ..... SAU 1 ..... P03
Polished Aluminum: Four Wheels. Wheel size is 406 mm x 178 mm (16" x 6.7").
Optional with: ..... SAU 3 ..... QC3

WINDOW: Sliding Rear. **Not Available** with C49. **Deletes** C49 and DL8 on SAU 4.
Optional with: A28

WIRING PROVISIONS: Camper and 5th Wheel Trailer. Includes 8 wire independently fused wiring harness routed to the front of the pickup box. Includes an additional 7 way sealed connector. **Requires** E63, M30, Z82 and LM7 or LR4.
Optional with: UY2

DESCRIPTION	Order Code		Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

BOOT COVERS, PROTECTIVE DRIVE AXLE: Balistic nylon (Cordura), protective cover for 1/2 shaft boot for severe off road applications.
Optional with: ..... K15703, K15903, K15753, K15953 ..... 8T7 — 49

CONSOLE DELETE: Deletes Floor Console
Requires A95 on C/K15703, C/K15903.
Requires AN3 or A95 and UL0 or UN0 on C/K 15753, C/K15953.
Optional with: ..... SAU 3 or 4 ..... 9N5 — 49

PAINTS: Solid. **Requires** 01U and B71. Wheel flare mouldings on K15703, K15903, K15753, K15953 are black.
Green, Woodland ..... 9V5 — 42
Tan, Doeskin ..... 9V9 — 42
Yellow, Wheatland ..... 9W3 — 42
Orange, Tangier ..... 9W4 — 42

SEAT, REAR. DELETION: Requires 9X5 with the combination of ZE5 and A95.
Requires YE9 with AE7. With YE9 **Deletes** rear mats.
Optional with: ..... C/K15753, C/K15953 ..... 8Q3 — 49

STEP #4: SELECT ADDITIONAL OPTIONS

DESCRIPTION	Order Code	Lead Time Days
TIRES: Includes Front, Rear & Spare		
P245/75R-16 **Requires** Z83		
Optional with:..... SAU 1, 2 or 3 on C15703, C15753, C15903, C15953.....	5GA	49
TRIM OVERRIDE: Provides custom cloth seats. **Requires** ZE5 and 12C or 67C code trim.		
Requires AE7 or A95.		
AE7 includes manual lumbar and center storage armrest.		
A95 includes manual lumbar on driver and passenger. Does not include overhead console or floor console.		
Optional with: .....SAU 1 or 2.....	9X5	49
..... SAU 1 or 2 with 8Q3 on C/K15753, C/K15953.....	9X5	49
.....SAU 1 or 2 without 8Q3 on C/K15753, C/K15953.....	9X5	49
SEATS, FRONT: Requires 9X5.		
Split Bench.		
Optional with: .....SAU 1 or 2.....	AE7	- -
High Back Reclining Buckets.		
Optional with: .....SAU 1 or 2 on C/K15703, C/K15903.....	A95	- -
.....SAU 1 or 2 on C/K15753, C/K15953.....	A95	- -

2000 LIGHT DUTY TRUCKS

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Med Oak	Med Gray
ZE5	40/20/40 Split Bench	Vinyl	AE7	12V	67V	---
	40/20/40 Split Bench	Cloth	AE7	12C	67C	---
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Bucket	Custom Cloth	A95	12D	67D	92D
	High Back Bucket	Leather	A95	♦122	♦672	♦922
	High Back Bucket	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Available Combinations			^B71 Wheel Opening Fender Flare	
					with ZE5	with YE9
Pewter (Met)	11U	X	X	X	Black	Pewter
Storm Gray (Met)	14U	X	X	X	Black	Gray
Indigo Blue (Met)	39U	X	X	X	Black	Black
Black Onyx	41U	X	X	X	Black	Black
Summit White	50U	X	X	X	Black	Black
Dark Toreador Red (Met)	#51U	X	X	X	Black	Black
Sunset Gold (Met)	#60U	X	X	X	Black	Gold
R Meadow Green (Met)	68U	X	X	X	Black	Green
Fire Red	74U	X	X	X	Black	Black

 # Not Available with ZE5
^ B71 Must Be Ordered. Available only on K15703, K15903, K15753, K15953
♦ Leather Trim Requires SAU 4. Leather is on seating surfaces only.

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY2 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Graphite	Med Oak	Med Gray
YE9	40/20/40 Split Bench	Custom Cloth	AE7	12D	67D	92D
	40/20/40 Split Bench	Leather	AE7	♦122	♦672	♦922
	High Back Bucket	Custom Cloth	A95	12D	67D	92D
	High Back Bucket	Leather	A95	♦122	♦672	♦922
	High Back Bucket	Leather	AN3	♦122	♦672	♦922

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations			^B71 Wheel Opening Fender Flare
Pewter (Met)	11U	Storm Gray (Met)	14L	X	---	X	Gray
Storm Gray (Met)	14U	Pewter (Met)	11L	X	---	X	Pewter
Indigo Blue (Met)	39U	Pewter (Met)	11L	X	---	X	Pewter
		Storm Gray (Met)	14L	X	---	X	Gray
Black Onyx	41U	Pewter (Met)	11L	X	---	X	Pewter
		Storm Gray (Met)	14L	X	---	X	Gray
Summit White	50U	Pewter (Met)	11L	X	---	X	Pewter
		Storm Gray (Met)	14L	X	---	X	Gray
Dark Toreador Red (Met)	51U	Pewter (Met)	11L	X	---	X	Pewter
		Storm Gray (Met)	14L	X	---	X	Gray
Sunset Gold (Met)	60U	Pewter (Met)	11L	---	X	X	Pewter
		Storm Gray (Met)	14L	X	X	---	Gray
Meadow Green (Met)	68U	Pewter (Met)	11L	X	---	X	Pewter
		Storm Gray (Met)	14L	X	---	X	Gray
Fire Red	74U	Pewter (Met)	11L	X	---	X	Pewter
		Storm Gray (Met)	14L	X	---	X	Gray

^ **B71 Must Be Ordered. Available only on K15703, K15903, K15753, K15953**

♦ **Leather Trim Requires SAU 4. Leather is on seating surfaces only**

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

GMC

SIERRA 1500 (NEW)

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	BASE PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LBS)
TWO-WHEEL-DRIVE MODELS								
SIERRA 1500 REGULAR-CAB								
SPORTSIDE SHORT-BOX	TC15703/E62	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2767 (6100)	(1338/1701) 2950/3750	N/A	3946/* (8700)
WIDESIDE SHORT-BOX	TC15703/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2767 (6100)	(1338/1701) 2950/3750	955 (2106)	3946/* (8700)
WIDESIDE LONG-BOX	TC15903/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2903 (6400)	(1429/1701) 3150/3750	1039 (2291)	3946/* (8700)
SIERRA 1500 EXTENDED-CAB								
SPORTSIDE SHORT-BOX	TC15753/E62	6/5	4800 V8/A4	5300 V8/A4	2812 (6200)	(1587/1701) 3500/3750	N/A	3946/* (8700)
WIDESIDE SHORT-BOX	TC15753/E63	6/5	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2812 (6200)	(1587/1701) 3500/3750	908 (2003)	3946/* (8700)
WIDESIDE LONG-BOX	TC15953/E63	6/5	4800 V8/M5	4800 V8/A4 5300 V8/A4	2812 (6200)	(1633/1701) 3600/3750	794 (1752)	3946/* (8700)
FOUR-WHEEL-DRIVE MODELS								
SIERRA 1500 REGULAR-CAB								
SPORTSIDE SHORT-BOX	TK15703/E62	3/2	4800 V8/M5	4800 V8/A4 5300 V8/A4	2767 (6100)	(1633/1701) 3600/3750	N/A	4264/* (9400)
WIDESIDE SHORT-BOX	TK15703/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2767 (6100)	(1633/1701) 3600/3750	823 (1815)	4264/* (9400)
WIDESIDE LONG-BOX	TK15903/E63	3/2	4300 V6/M5	4300 V6/A4 4800 V8/M5/A4 5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	900 (1984)	4264/* (9400)
SIERRA 1500 EXTENDED-CAB								
SPORTSIDE SHORT-BOX	TK15753/E62	6/5	4800 V8/A4	5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	N/A	4264/* (9400)
WIDESIDE SHORT-BOX	TK15753/E63	6/5	4800 V8/M5	4800 V8/A4 5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	755 (1665)	4264/* (9400)
WIDESIDE LONG-BOX	TK15953/E63	6/5	4800 V8/M5	4800 V8/A4 5300 V8/A4	2903 (6400)	(1633/1701) 3600/3750	757 (1670)	4264/* (9400)

N/A–Not available at time of publication.
* Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lbs).

POWERTRAINS

ENGINES			
ENGINE	VORTEC 4300 V6	VORTEC 4800 V8	VORTEC 5300 V8
Order Code	L35 (Standard)	LR4	LM7
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	149 @ 4600 (200 @ 4600)	201 @ 5200 (270 @ 5200)	213 @ 5200 (285 @ 5200)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	346 @ 2800 (255 @ 2800)	386 @ 4000 (285 @ 4000)	441 @ 4000 (325 @ 4000)
Fuel System	SFI	SFI	SFI
Hydraulic Clutch Control Clutch Size mm (in.)	279 (11)	305 (12)	305 (12)
Standard Battery (12-volt negative ground Delco Freedom 2 Plus) Cold Cranking Amps @ -17.8° C (0° F)	600	600	600
Standard Delcotron Alternator Maximum Capacity Amps	105	105	105

TRANSMISSIONS		
	MANUAL	AUTOMATIC
	5-SPEED MANUAL W/OVERDRIVE	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE (4L60-E)
Transmission Order Code	MG5	M30
Synchronized Speeds	1/2/3/4/5	—
Gear Ratios First Second Third Fourth Fifth Reverse	 4.02 2.32 1.40 1.00 0.73 3.55	 3.06 1.63 1.00 0.70 – 2.29
Power Take-Off	No	No

Specifications Subject to Change Without Notice.
GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

POWERTRAINS (cont'd)

FRONT AXLE

Availability	K1500		
Make/Capacity kg (lb)	American Axle/3925		
Pinion and Ring Gear Type	Hypoid Full-Floating		
Ratio	3.42	3.73	4.10
Pinion Teeth	12	11	10
Ring Gear Teeth	41	41	41
Ring Gear Diameter mm (in.)	209.6 (8.25)	209.6 (8.25)	209.6 (8.25)

REAR AXLES

Make	American Axle			American Axle		
Capacity kg (lb)	3750 Semi-Floating			3750 Semi-Floating		
Pinion and Ring Gear Type	Hypoid			Hypoid		
Axle Ratio Code	GU4	GU6	GT4	GU6	GT4	GT5
Axle Availability	C15703/C15903 2767 kg (6100 lb) GVWR	C15753; C15953 w/ 2812 kg (6200 lb) GVWR	K15703w/ 2767 kg (6100 lb) K15903; K15753 w/ 2903 kg (6400 lb)GVWR	C15753; C15953 w/ 2812 kg (6200 lb) GVWR	K15753 w/ 2994 kg (6400 lb)	K15703/15903 K15953/K15753
Ratio	3.08	3.42	3.73	3.42	3.73	4.10
Pinion Teeth	13	12	11	12	11	10
Ring Gear Teeth	40	41	41	41	41	41
Ring Gear Diameter mm (in.)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)	218.4 (8.6)

BRAKES

Type	Power 4-Wheel Anti-Lock
Application kg (lb)	2767-2903 (6100-6400) GVWR
Front Rotor Size mm (in.)	Disc 305 x 29 (12.00 x 1.14)
Rear Size mm (in.)	Disc 325 x 20 (12.79 x 0.78)
Booster Type	Vacuum/Hydraulic
Parking Brake Type Operation	Cable to Rear Wheels Drum-in-hat/Pedal

STANDARD CHASSIS FEATURES

ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel single exhaust with converter and unitized muffler tailpipe
FRAME	
Type	All-welded hydro formed ladder-type with channel design and boxed front section
Material	Carbon steel
Yield Strength	N/A
FUEL TANK	
Location	Forward of rear axle between frame rail and propshaft Includes plastic bathtub-type shield
Fuel Filter	Located in fuel feed line
Capacity (approx.)	
C/K 15703/15753	98.4 litres (21.6 imperial gal)
C/K 15903/15953	128.7 litres (28.3 imperial gal)
GVWR	
C5M-C/K15703	2767 kg (6100 lb)
Q4B-CK15753/CK15953	2812 kg (6200 lb)
C7H-C/K15753/CK15953/ CK15903	2903 kg (6400 lb)
STEERING	
Type	Integral Power (Rack and Pinion on 2WD models)

SUSPENSION, FRONT	**INDEPENDENT**
2WD Axle Capacity	
C15703/903	1429kg (3150lbs)
C15753/953	1633 kg (3600lbs)
2WD springs	Coil
2WD Spring Capacity	
C15703/903	1338kg/1429kg (2950lbs/3150lbs)
C15753/953	1588kg/1588kg (3500lbs/3500lbs)
4WD Axle Capacity	
C/K 15703/903	1780kg (3925lbs)
C/K 15753/953	1780kg (3925lbs)
4WD springs	Torsion bars
4WD Spring Capacity	
C/K 15703/903	1780kg (3925lbs)
C/K 15753/953	1780kg/1633kg (3925lbs/3600lbs)
Shock absorbers	32mm (1.26") piston diameter
Stabilizer bar	Heavy-duty
SUSPENSION, REAR	
Springs	Two-stage multi-leaf
Capacity	1701kg (3750lbs)
Shock absorbers	32mm (1.26") piston diameter
TRANSFER CASE	
Availability	K-models
Type/Model	Part-time/New Process 241
Controls	Floor mounted
WHEELS	
Type	Five disc
Size	
2WD	406mm x 178mm (16"x7")
4WD	406mm x 165mm (16"x6.5")
Attachment	
2WD	6 bolts
4WD	6 bolts

TIRES

KEY: **AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL ALT = ALL TERRAIN WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED**

TIRE DESCRIPTION		FRONT/REAR/SPARE
P235/75R16	AS/SBR/BW	QNF (Standard on 2WD Models)
P235/75R16	AS/SBR/WL	QNG
P245/75R16	ALT/SBR/BW	QGA
P245/75R16	ALT/SBR/BW	QNK (Standard on 4WD Models)
P245/75R16	ALT/SBR/WOL	QNL
P245/75R16	ALT/SBR/WOL	QGB
P255/70R16	AS/SBR/BW	QCC
P255/70R16	AS/SBR/WOL	QCP
P265/75R16	ALT/SBR/BW	QGC
P265/75R16	ALT/SBR/WOL	QGD
LT245/75R16C	ON-OFF/SBR/BW	QBN
LT245/75R16C	ON-OFF/SBR/WL	QBX

DIMENSIONS

MODEL	SIERRA 1500 PICKUP REG.-CAB/EXT.-CAB SPORTSIDE/FLEETSIDE		
MODEL NUMBER	C/K15703/ C/K15753		C/K15903/ C/K15953
BODY CODE	E62	E63	E63
EXTERIOR DIMENSIONS			
BODY			
Wheelbase mm (in.)			
Regular Cab	3023 (119.0)		3378 (133.0)
Extended Cab	3645 (143.5)		4001 (157.5)
Overall Length mm (in.) w/o Rear Bumper			
Regular Cab	5108 (203.1)		5639 (222.0)
Extended Cab	5781 (227.6)		6261 (246.5)
Overall Height mm (in.)			
Regular Cab-2WD	1808 (71.2)		1803 (71.0)
Regular Cab-4WD	1875 (73.8)		1872 (73.7)
Extended Cab-2WD	1808 (71.2)		1798 (70.8)
Extended Cab-4WD	1877 (73.9)		1872 (73.7)
Maximum Width mm (in.)	1994 (78.5)		1994 (78.5)
Bumper to Axle mm (in.)			
Front	940 (37.0)		940 (37.0)
Rear Overhang (w/o bumper)	1194 (47.0)		1321 (52.0)
Cab to Rear Axle mm (in.)	1064 (41.9)		1420 (55.9)
Cab to End of Frame mm (in.)	1999 (78.7)		2479 (97.6)
Bumper to Back of Cab mm (in.)			
Regular Cab	2901 (114.2)		2901 (114.2)
Extended Cab	3523 (138.7)		3523 (138.7)
Ground to Top of Rear Load Floor mm (in.)			
Regular Cab-2WD	795 (31.3)		787 (31.0)
Regular Cab-4WD	838 (33.0)		838 (33.0)
Extended Cab-2WD	775 (30.5)		775 (30.2)
Extended Cab-4WD	836 (32.9)		825 (32.5)
Ground Clearance mm (in.) Front/Rear			
Regular Cab-2WD	206/213 (8.1/8.4)		206/213 (8.1/8.4)
Regular Cab-4WD	226/221 (8.9/8.8)		226/221 (8.9/8.8)
Extended Cab-2WD	206/213 (8.1/8.4)		206/213 (8.1/8.4)
Extended Cab-4WD	226/221 (8.9/8.7)		226/221 (8.9/8.7)
Turning Diameter Curb-to-Curb m (ft)			
Regular Cab-2WD/4WD	12.2/12.4 (40.1/40.7)		13.3/13.5 (43.8/44.5)
Extended Cab-2WD/4WD	14.2/14.4 (46.6/47.3)		15.4/15.6 (50.4/51.1)
CARGO BOX			
Inside Length @ Floor mm (in.)	2001 (78.8)		2479 (97.6)
Inside Width @ Top Rear mm (in.)	1247 (49.1)	1529 (60.2)	1529 (60.2)
Inside Width @ Floor mm (in.)	1247 (49.1)	1529 (60.2)	1636 (64.4)
Inside Width Between Wheelhousings mm (in.)	1270 (50.0)		1270 (50.0)
Inside Height mm (in.)	495 (19.5)		495 (19.5)
Tailgate Width Top mm (in.)	1267 (49.9)	1539 (60.6)	1539 (60.6)
Cargo Volume litres (cu ft)	1232 (43.5)	1611 (56.9)	2002 (70.7)

DIMENSIONS (cont'd)

MODEL	SIERRA 1500 PICKUP REG.-CAB/EXT.-CAB SPORTSIDE/FLEETSIDE		
MODEL NUMBER	C/K10703/C/K15753		C/K15903/ C/K15953
BODY CODE	E62	E63	E63
INTERIOR DIMENSIONS			
CAB Headroom mm (in.) Front/Rear	1062/975 (41.8/38.4)		1062/975 (41.8/38.4)
Legroom mm (in.) Front/Rear	1049/856 (41.3/33.7)		1049/856 (41.3/33.7)
Shoulder Room mm (in.) Front/Rear[1]	1656/1684 (65.2/66.3)		1656/1684 (65.2/66.3)
Hip Room mm (in.) Front/Rear	1559/1562 (61.4/61.5)		1559/1562 (61.4/61.5)
Extended Cab Cargo Volume litres (cu ft) w/ Rear Seat Front/Rear	1826/1407 (64.5/49.7)		1826/1407 (64.5/49.7)